

Job: \_\_\_\_\_

Job Site: \_\_\_\_\_ State: \_\_\_\_\_ Client Name: \_\_\_\_\_

Notes: \_\_\_\_\_ Approvals: \_\_\_\_\_ Date: \_\_\_\_\_

### PRODUCT DESCRIPTION

**Pole Configuration:** Our security camera poles can be drilled to meet your specifications. The drill pattern, location and orientation need to be provided by the customer. A removable top cap or tenon is provided. The most common tenon option is a 2-3/8 inch diameter tenon; however, other options are available.

**Pole Shaft:** Our commercial grade fiberglass square security camera poles are constructed of thermoset polyester resin containing "E" type fiberglass. The smooth surface consists of a saturated polyester surfacing veil and an unsaturated polyester resin layer containing UV inhibitor and pigment throughout.

**Handhole:** A 2-1/2 x 5 inch reinforced handhole is provided at 18 inches from the base. A cover with a single screw to secure the latch mechanism is also provided.

**Base Cover:** A 2 piece fiberglass base cover is included.

**Anchor Bolts:** A set of 4 steel anchor bolts are provided with each pole assembly. Each bolt includes 2 nuts and 2 washers. The top of the anchor bolt is threaded for securing and leveling the pole with the provided nuts and washers. An actual size paper anchor bolt template is provided.

**Color Options:** Bronze, black, white and gray colors are provided at no extra charge. Custom color options are available at a surcharge.

**Other Options:** The following options are available; custom colors, custom pole heights, additional handholes and custom base plate dimensions. Please consult one of our security camera pole experts for details.

SPECIFICATION TABLE		
Mounting Height (ft.)	<b>A</b>	15
Top Square (in.)	<b>B</b>	4
Butt Square (in.)	<b>C</b>	4
Bolt Circle (in.)	<b>D</b>	10.25
Anchor Bolt Size (in.)	<b>E</b>	5/8 x 21 x 3
Bolt Circle Range (in.)	-	8-12.5
Pole Weight (lbs.)	-	37

MAXIMUM EPA WITH 1.3 GUST FACTOR		
90 mph:	12.9	Square Feet
100 mph:	9.8	Square Feet
110 mph:	7.5	Square Feet
120 mph:	5.7	Square Feet

